

KOYAMA®

The most complete line of premium
quality marine batteries in the industry



FLOODED



AGM



GEL



The Koyama logo is displayed in a large, bold, red sans-serif font. A registered trademark symbol (®) is located at the top right of the 'A' in Koyama. The background of the entire advertisement is a dramatic, cloudy sky over a body of water with a dark, silhouetted landmass in the distance.

FLOODED For Marine High Cranking Power Starting/Deep Cycle

KOYAMA Flooded Marine Batteries are renowned for their proven dependability and solid performance. This flooded battery line offers a complete array of starting, dual purpose, and deep cycle solutions for virtually any marine need. Even under challenging marine conditions like wave pounding vibration, stubborn engine starting, heavy house power, auxiliary and trolling. Koyama Flooded Marine Batteries rise to the top in user-friendly, marine-tough service, and extended reliability.

AGM Series For Marine Starting/Heavy-Duty Deep Cycle

KOYAMA AGM Marine Batteries go above and beyond conventional flooded designs providing an enhanced durability that powers more accessories longer. This premium spillproof, maintenance-free battery has pioneered a new era in user-convenience and safety while delivering the optimum combination of starting, cycling, and deep cycle power.

GEL Series For Marine Starting/Deep Cycle Service

KOYAMA AGM Marine Batteries go above and beyond conventional flooded designs providing an enhanced durability that powers more accessories longer. This premium spillproof, maintenance-free battery has pioneered a new era in user-convenience and safety while delivering the optimum combination of starting, cycling, and deep cycle power.

**It's not always blue
skies and flat water**

Be Ready!!!

Technical Specification

12-VOLT MARINE / RV DUAL PURPOSE STARTING / CYCLE SERVICE(CALCIUM MAINTENANE FREE)


GROUP NO.	Model No.	CCA	REF. MCA	20 HR CAP	MINS @ 23 A	MINS @ 25 A	WEIGHT (KGS)	LENGTH	WIDTH	HEIGHT	TOTAL HEIGHT	WARRANTY	TERMINAL
								mm	mm	mm	mm		
24	55D26RDT	550	650	65	140	120	18.70	258	173	200	220	12	AP/DT
27	95D31RDT	650	800	80	175	150	22.20	304	173	200	220	12	AP/DT
31	31DT	800	1000	100	205	185	25.00	332	171	218	252	12	AP/DT/STUD

6V/12-VOLT MARINE / RV DEEP CYCLE AGM VALVE-REGULATED BATTERY(ABSORBED GLASS MAT TECHNOLOGY)

GROUP NO.	Model No.	CCA	REF. MCA	R.C.	MINS @ 25 A	20 HR CAP	WEIGHT (KGS)	LENGTH	WIDTH	HEIGHT	TOTAL HEIGHT	WARRANTY	TERMINAL
								MM	MM	MM	mm		
U1	DC35-12	200	240	45	54	35	10.50	196	130	155	179	12	L7/T3/L4
22NF	DC55-12	350	420	85	95	55	16.00	229	138	208	226	12	L3/T3
24	DC85-12	525	800	135	145	85	26.10	260	169	211	231	12	T3/L11/L4
27	DC90-12	580	900	175	185	90	28.20	307	169	211	227	12	T3/L13/AP
31	DC110-12B	800	1000	200	210	110	32.50	328	172	218	222	12	T4/L5
4D	DC200-12	1110	1420	380	413	200	58.40	532	206	215	240	12	T4/L17
8D	DC260-12	1450	1800	480	517	260	77.00	520	268	220	224	12	T5/L17
GC2	DC226-6	680	900	380	409	226	30.20	260	180	246	252	12	T5/AP

6/8/12-VOLT MARINE / RV DEEP CYCLE GEL VALVE-REGULATED BATTERY (GELLED ELECTROLYTE TECHNOLOGY)

GROUP NO.	PART NO.	CCA	REF. MCA	R.C.	MINS @ 25 A	20 HR CAP	WEIGHT (KGS)	LENGTH	WIDTH	HEIGHT	TOTAL HEIGHT	WARRANTY	TERMINAL
								MM	MM	MM	mm		
U1	DCG35-12	200	290	44	47	35	10.6	196	130	155	179	12	L7/T3/L4
22NF	DCG55-12	210	300	77	82	55	16.1	229	138	208	226	12	L3/T3
24	DCG85-12	335	470	132	140	85	26.2	260	169	211	231	12	T3/L11/L4
27	DCG90-12	400	550	160	170	90	28	307	169	211	227	12	T3/L13/AP
31	DCG110-12B	450	640	180	190	110	32.7	328	172	218	222	12	T4/L5
4D	DCG200-12	970	1245	375	395	200	58.6	532	206	215	240	12	T4/L17
8D	DCG260-12	1150	1470	475	500	260	77	520	268	220	224	12	T5/L17
GC2	DCG226-6	585	850	345	375	226	30	260	180	246	252	12	T5/AP
GC8	DCG170-8	400	575	250	270	170	34	260	182	266	271	12	T5
5SHP	DCG150-12B	450	640	200	218	150	44.4	328	182	264	271	12	T5



CBB batteries are available worldwide.

We offer outstanding technical support, provided by full-time application engineers.

call 0086-20-84888946 or visit www.cbb-battery.com

RM504,55 Hanxing Zhong Road,Zhongcun,Panyu,Guangzhou 511495,China,
or email: export@cbb-battery.com